


IQware Architecture

What We Do Differently
(The Right Technology at the Right Time)




Dr. Steve G. Belovich
(www.iqware.us, www.iqmtm.com)
June 10, 2010

Software Application Structure



What, Me Worry?

PC or PC Server




- Applications receive user inputs and make one or more decisions.
- Applications perform one or more operations in response to the decision.
- Applications then wait for the next user input and event.
- All this processing occurs on the desktop or laptop machine.
- Encrypted data is still decrypted on the PC and stored as 'plaintext' in RAM – where it's vulnerable to "spyware".
- "Spyware" and "malware" can observe and interfere with this process because it all occurs on the desktop or laptop.
- Malware can observe and 'steal' critical data.

IQware's New Approach

(Patented US #7,322,028)



No Worries, Mate!



- We separate the “user input piece” from the rest of the application so “malware” cannot “infect” the critical business logic and program operation.
- We use a TCB (Trusted Computing Base) that is DoD rated B2/C2 for the secure server.
- We can use any kind of laptop / desktop for the “user input piece” (Windows, Linux, Apple, PDAs, etc.).
- The client piece is very thin and is available as open source freeware (XLIB).
- The secure server handles all program logic, decision making and operation execution.
- All communication to/from client is encrypted.


IQware's Secure Architecture

PC or PC Server

- **Malware remains here**
- **Only this machine is vulnerable.**

User Input
 Key Press
 Mouse Movement
 Mouse Click
 Other Input

- User events are encrypted and sent to the secure server.
- No sensitive data (e.g., UID or PWD strings) is in PC's RAM.
- Malware within PC cannot "infect" secure server.
- PC client is "thin" and uses XLIB which is available as open source freeware.
- Any PC may be used: Windows, Linux, Apple, UNIX-based, PDAs.



- Secure server controls all business logic and makes all application decisions.
- Secure server performs all application operations.
- Malware cannot affect secure server (non-Intel CPU ISA, DoD rated B2/C2).
- Optional CAPTCHA images can be used so that text strings (E.g., SSNs, UIDs, PWDs, etc.) are never sent to the virus-prone PC client.

IQware Secure Server

- **No malware**
- **No interference**
- **No data theft**

Business Logic
 Examine User Input
 Examine current program state
 Examine other conditions
 Make a Decision




"Idle Time"
 Wait for user input
 Wait for external event

Program Response
 Perform operation(s)
 Execute routine(s)
 Terminate




IQware's Rule-Based Invention



- IQware converted the application into a "Rule Processor" that executes rules.
- Rules control the business logic, program state, other conditions.
- Rules control screen appearance, menus, toolbars, other visual aspects of the application.
- Rules control all program decisions and operations.
- Rules control all database access, data formatting, data presentation and data display.
- Rules are configured graphically without any programming.
- Rules can be changed "on-the-fly" so new functionality can be added while the application is running!


Client Side of IQware (X-Server)



- The X-Server actually runs on the client machine.
- The X-server is VERY thin – **much** smaller than a web browser and all of its "plug-ins".
- The X-server runs on all client machines, including Windows, Apple MACs, Linux (all varieties), Sun UNIX, PDAs, etc.
- X-servers are available as open-source freeware.



IQ Deployment Architecture



- IQware works with any client
- All network communication is encrypted
- Client side is open source freeware
- Client side is ultra-thin
- Rules can be changed at any time